

REQUEST FOR QUOTATION

Date: 9/18/2026
 Purchase No. 2026-09-154 - A
 Canvass No. 2026-09-138-0

Name of Supplier/Company: _____
 Contact No.: _____

Please quote your best offer for the item describe below, subject to the Terms and Conditions specified in this request for the procurement of:

Procurement of 2026 TVL/TECHPRO TOOLS & EQUIPMENT PACKAGES in COMPUTER SYSTEMS SERVICING NCII for Amtic National High School, Ligao City

Submit your quotation duly signed by you or your designated representative **WITH** copies of the following eligibility requirements:

1. Valid Mayor's Permit
2. Valid PhilGEPS Certificate
3. **SIGNED OMNIBUS SWORN STATEMENT** (Original Notarized Omnibus Sworn Statement is required to be submitted before issuance of Notice of Award and/or purchase order/contract)

Sealed quotation shall be submitted or mailed on or before

9/24/2026, 10:00 AM at the address indicated below.

MELCHIZEDEK C. TONGCO
 BAC Chairman
 DepEd, SDO Ligao City
 Binalagan, Ligao City
 E-mail Address: depedligaobac@yahoo.com

IMPORTANT NOTE:
 * Bidding shall be by lot


MELCHIZEDEK C. TONGCO
 BAC Chairman

After having carefully read and accepted the Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

Item Description/Technical specifications/Terms and Conditions <i>Note: Non-compliance of minimum requirement shall be rejected</i>	Quantity (QTY)	Approved Budget for the Contract (ABC)	BID PRICE			Compliance with Technical Specs? (Please Check)		REMARKS
			QTY	Unit	Total	Yes	No	
Learning Tools & Equipment for Computer System Servicing (LTE-TVL/TECHPRO) for Amtic National High School, Ligao City								
set Allen Wrench	10	4,300.00						
Pc Anti-Static Device (Anti-Static wrist Strap)	10	2,600.00						
pc Combination Pliers 8"	10	4,800.00						
pc Crimping Tool (RJ 11/45)	4	5,850.00						
box Desoldering Pump	5	2,450.00						
pc Electric Drill, Portable	2	7,000.00						
pc External Optical Drive	5	12,000.00						
pc Flash Drive	10	4,800.00						
pc Flashlight, head-Mounted	5	4,250.00						
pc Hub/switch	5	10,000.00						
pc LAN Cable tester	5	8,750.00						
pc Long Nose Pliers, 8"	10	4,500.00						
pc Multi-meter, Digital	3	7,500.00						
pc Patch Panel (48 ports)	5	24,000.00						
Pc PC, Video Camera	5	11,500.00						
Pc Philip's Screwdriver, 8" insulated	10	3,800.00						
Pc Precision Screwdriver Set	10	4,750.00						
Pc Soldering Iron	10	8,750.00						
pc Standard Screwdriver (Flat) 8" insulated	5	2,000.00						
pc Uninterruptible Power Supply (UPS)	2	9,000.00						
pc USB External HD	1	6,500.00						
pc Wire Stripper	10	9,800.00						
pc Wireless Access Point	5	11,500.00						
pc Desktop Computer (AB/A10AMD, i3 4th Gen DDR3, 500GB)	3	72,000.00						
pc Computer for Server (IntelCor i5, 9th Gen, 4gb, 500 GB HDD)	1	45,000.00						
pc Manage Switch	1	12,000.00						
pc ADSL Router with WIFI	5	1,200.00						
pc RJ 45 Pass Through	2000	20,000.00						
box Cable -CAT6	1	2,400.00						
TOTAL ABC (Approved Budget for the Contract)		323,000.00						

I HEREBY CERTIFY that I am in a position to deliver the above items/services as specified at the price quoted below.

Proposed venue and address
(in case of catering with venue)

Served by:

Signature Over Printed Name

Date:

Name and Signature of the Supplier/Authorized Representative



• Binalagan, Ligao City
 ☎ 09958433729
 ✉ depedligaobac@yahoo.com

Omnibus Sworn Statement Form

[Note: The duly accomplished form shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

OMNIBUS SWORN STATEMENT

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and with residence at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

1. *Select one, delete the others:*

- *If sole proprietorship:* I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[Address of Bidder]*;
- *If partnership, corporation, cooperative, or joint venture:* I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[Address of Bidder]*;
- *If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* I am the individual consultant or authorized representative of *[Name of Bidder]* with office address at *[Address of Bidder]*;

2. *Select one, delete the others:*

- *If sole proprietorship:* As the owner and sole proprietor or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Project Title]* of the *[Name of the Procuring Entity]* *[insert "as supported by the attached duly notarized Special Power of Attorney" for authorized representative]*;
- *If partnership, corporation, cooperative, or joint venture:* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Project Title]* of the *[Name of the Procuring Entity]*, as supported by the attached duly notarized Special Power of Attorney, Board/Partnership Resolution, or Secretary's Certificate, whichever is applicable;
- *If individual consultant not registered under a sole proprietorship, in case of Consulting Services:* As the individual consultant or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for *[Project Title]* of the *[Name of the Procuring Entity]*, as supported by the attached duly notarized Special Power of Attorney *for authorized representative*;

3. *[Name of Bidder]* is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting

rules have been recognized by the Government Procurement Policy Board; by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity;

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
6. *Select one, delete the others:*
 - *If sole proprietorship* : The *[Name of Bidder]* and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), or the End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If partnership* : The partnership itself and the partners of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), or the End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If cooperative*: The cooperative itself and members of the board of directors, general manager, or chief executive officer of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), or the End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If corporation, or joint venture*: The corporation or joint venture itself, and officers, directors, controlling stockholders and beneficial owners of *[Name of Bidder]* are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
 - *If individual consultant not registered under a sole proprietorship, in case of Consulting Services*: The individual consultant and its spouse are not related by consanguinity or affinity up to the third civil degree to the Head of the Procuring Entity, Procurement Agent (if engaged), End-User or Implementing Unit, project consultants, head of the Project Management Office, or the members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat;
7. It is understood that failure to faithfully disclose its relationship with the Head of the Procuring Entity, members of the BAC, the TWG, and the BAC Secretariat, the head of the PMO or the end-user unit or implementing unit, and the project consultants of the Procuring Entity, or of the procurement agent by consanguinity or affinity up to the third civil degree, as well as its submission of beneficial

ownership information containing false entries shall be subject to blacklisting under Section 100 of the Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 12009, without prejudice to criminal and civil liabilities under applicable laws, including their accessory penalties, if any.

Select one, delete the rest:

- *In case of corporations: [Name of Bidder] declares its beneficial ownership information consistent with its updated General Information Sheet or Beneficial Ownership Declaration Form or any other document duly submitted to the SEC and has maintained a valid and updated file therein in compliance with Sections 20.2.9.1, 81, and 82 of the IRR of RA No. 12009.*
 - *In case of Foreign Bidders: [Name of Bidder] submitted an appropriate equivalent document in English issued by the country of the bidder concerned in accordance with Section 20.2.9.2 of the IRR of RA No. 12009.*
8. *[Name of Bidder] complies with existing labor laws and standards; and*
9. *[Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:*
- a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquire or secure Supplemental Bid Bulletin(s) issued for the *[Project Title]*.
10. *[Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.*
11. *In case advance payment was made or given to [Name of Bidder], failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability under existing laws.*

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 20___ at _____, Philippines.

Duly authorized to sign the Bid for and behalf of:

[Insert Bidder's Name]

[Affiant's Signature over Printed Name]

[Position/Designation]

[Date]

JURAT

SUBSCRIBED AND SWORN to before me this _____ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. _____.

WITNESS MY HAND AND SEAL this ____ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Notarial Commission No. _____

Notary Public for _____ until _____

Roll of Attorneys No. _____

PTR No. __, *[date issued]*, *[place issued]*

IBP No. __, *[date issued]*, *[place issued]*

Doc. No. _____

Page No. _____

Book No. _____

Series of _____.

Item Name	TVL Specialization	Technical Specifications
WIRE WHISK, MEDIUM	Bread And Pastry Production NC II	Type Wire Whisk, medium Material: Stainless steel wire Dimensions (L x W): 25.4 cm x 7 cm (minimum) Handle length: 10 cm (minimum) with hanging loop No. of wires: 6 wires Wire Diameter: 1.8 mm (minimum) Preferably with a packing case Dishwasher safe
Allen Wrench	Computer System Servicing (NC II)	1. Material: chrome vanadium steel, HRC 38 to 60; 2. Set of 10 pieces: 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 5.5 mm, 6 mm, 8 mm, 10 mm; 3. With holder/ring to keep the set intact; 4. Label of sizes engraved in each Allen wrench; 5. Smooth surfaces and no sharp edges 6. Plastic pack by set
Anti-Static Device (Anti-static Wrist Strap)	Computer System Servicing (NC II)	Consists of: a) Adjustable and elastic wristband with integrated 1 Mega Ohm Resistor, b) banana plug with alligator clip for connecting to ground (or equivalent), c) at least 59" long coiled cord; d) Carton box or plastic pouch packaging
Combination Pliers, 8"	Computer System Servicing (NC II)	Type: Combination pliers; Body shape: Square nose Material: Chrome vanadium/forged steel Length: 9 inches (minimum) Insulation range: 1000 volts (etched on the handle) Design: Square nose with serrated jaw Comes with nickel plated finish, side cutter and insulated handle

Item Name	TVL Specialization	Technical Specifications
Crimping Tool (RJ 11/45)	Computer System Servicing (NC II)	1. Ratchet Crimp Tool 2. ALL-IN-ONE tool that can strip, cut, and crimp 3. lightweight steel frame 4. RJ-11/45 Compatible 5. Positions for 8P/8C, 6P/6C and 4C Connectors 6. Lightweight, compact, and durable 7. Smooth surface and no sharp edges except cutting edges 8. Carton box packaging
Desoldering pump	Computer System Servicing (NC II)	1. Material : Plastic or aluminum housing; 2. Replaceable heat-resistant plastic tip; 3. Length : Minimum of 6 inches; 4. Effective in removing solder; 5. Smooth surface and no sharp edges 6. Carton or plastic packaging
Electric Drill, Portable	Computer System Servicing (NC II)	Type: Electric power Material: Hard plastic Rated voltage: 220 / 240 volts, AC 60 Hz Power in watts: 550 to 650 watts Speed: Variable speed Chuck capacity: 2 to 13 mm Power cord must have flat blade attachment plug (Type A plug) Comes with HSS Drill bits: 2mm 4pcs. 4 mm 4pcs. 6 mm 4pcs. 8 mm 4pcs. 10 mm 4pcs. 12 mm 4pcs. 12.5 mm 4pcs. Total- (28 pcs) Masonry drill bits; 4 mm 2pcs. 6 mm 2pcs. 8 mm 2pcs. 10 mm 2pcs. 12 mm 2pcs. Total- (10 pcs.) With hammer function for concrete drilling Comes with English user's manual that includes the following: a. a diagram of the parts with label; b. assembly instructions; c. operating procedures; d. safety precautions when using the equipment; e. basic troubleshooting and maintenance procedures. Warranty period of parts and service: 1 year

Item Name	TVL Specialization	Technical Specifications
External optical drive	Computer System Servicing (NC II)	1. Interface: USB 3.0 or better; 2. Compatibility: Windows 2000, XP, Vista, 7, 8, 10, Apple Mac, Linux or better; 3. Read Speed: at least 8x DVD, at least 24x CD; 4. Write Speed: at least 4x DVD, at least 16x CD; 5. Package includes: a) 1 x External optical drive, b) 1 x USB Power Cable, c) 1 x USB Data Cable, 6. Item size: 5.4"x 5.51"x0.63" (L x W x H) approximate 7. Metal or hard plastic casing 8. Smooth surface and no sharp edges 9. Carton box packaging 10. With User's Manual in English which includes: a. a diagram of the parts with their names, b. operating procedures
Flash drive	Computer System Servicing (NC II)	1. Capacity: 32 GB ; 2. Connectivity: USB 3.0, Backward-Compatible with USB 2.0, Plug and Play ; 3. Device/OS compatibility: Windows Vista, Windows 7, 8, 10, Mac OS 10.6+ or later versions; 4. Form: Swivel type or with cover; 5. Dimension: 0.40 x 0.80 x 2.31 in. (10.16 x 20.32 x 58.67 mm) approximate 6. Metal or hard plastic casing 7. Smooth surface and no sharp edges 8. Carton and/or plastic packaging 9. User's Guide on name of parts, connection guide, maintenance and safety precautions.

Item Name	TVL Specialization	Technical Specifications
Flashlight, head-mounted	Computer System Servicing (NC II)	1. Type: Rechargeable, Head mounted LED flashlight; 2. Minimum of 160 lumens; 3. Beam Distance: minimum of 150 meters; 4. Includes 220 V AC Charger/Power Adaptor (or equivalent); 5. Charging time: 3-6 hours; 6. Provides up to 30 hours (minimum) of constant light on a single full charge; 7. Approximate Size: 60X 30mm 8. Smooth surface and no sharp edges 9. Carton box or plastic pouch packaging. 10. With User's Manual in English which includes: a. a diagram of the parts with their names, b. operating procedures c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures.

Item Name	TVL Specialization	Technical Specifications
Hub / Switch	Computer System Servicing (NC II)	1. Standards and Protocols: IEEE 802.3, IEEE802.3u, IEEE802.3X CSMA/CD 2. Interface: 8 10/100Mbps Ports, Auto-Negotiation, Auto-MDI/MDIX 3. External Power Supply Adapter: 100-240VAC, 50/60Hz 4. Fanless 5. Data Rates: 10/100Mbps at Half Duplex ; 20/200Mbps at Full Duplex 6. LED indicator: Power, 1, 2, 3, 4, 5, 6, 7, 8 7. Dimensions: 5.3 x 3.1 x 0.9 in. (134.5 x 79 x 22.5mm) (Approx.) 8. Transfer Method: Store and Forward 9. Advance Functions: Green Technology, saving power up to 73%; 802.3X Flow Control, Back Pressure; Auto-Uplink Every Port 10. Certification: FCC, CE, Rohs 11. Package Contents: 8-Port 10/100Mbps Desktop Switch, Power Adapter, User Guide 12. System Requirements: Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 7, Windows 8, Mac OS, Netware, Unix or Linux. 13. Operating Temperature: 0°C-40°C (32°F-104°F) 14. Storage Temperature: -40°C-70°C (-40°F-158°F) 15. Operating Humidity: 10%-90% non-condensing 16. Storage Humidity: 5%-90% non-condensing 17. Dimension: 141.5 x 78.5 x 23.8 mm (5.57 x 3.09 x 0.94 inches) approximate 18. Metal or hard plastic casing

Item Name	TVL Specialization	Technical Specifications
LAN Cable tester	Computer System Servicing (NC II)	1 Cable Tester with LED indication for RJ12, RJ11, RJ45, Cat5e, Cat5, 10/100 Base-T; 2 Main tester: 1-2-3-4-5-6-7-8-G; 3 Remote tester: 1-4-3-2-5-6-7-8-G; 4 Power supply: 9 V battery (included); 5 Capable of testing crossover, straight-through, and rollover cables; 6 Includes plastic case or pouch; 7 With User's Manual in English which includes: a. a diagram of the parts with their names, b. operating procedures c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures. 8 With Service centers located in major cities in the Philippines. 9. Material: ABS 10. Size: 103×100×30mm/4.06×0.39×1.18in approximate
Long Nose Pliers, 8"	Computer System Servicing (NC II)	1 Material: chrome vanadium steel, HRc 38 to 60; 2 Length: 7 inches (minimum); 3 Handle type: curved handle with rubber cushion for easy grip; 4 Jaws type: knurled and long tempered; 5 Comes with hardened cutting edges and chrome-nickel finish. 6. Smooth surface and no sharp edges 7. Carton or plastic packaging

Item Name	TVL Specialization	Technical Specifications
Multimeter, digital	Computer System Servicing (NC II)	Material: Plastic casing Main functions: AutoRange/Data hold/Back light/ LED lamp/Diode test/Triode test/Continuity/ Over load protection/Low Battery Indication/Auto Power Off/Short-circuit protection. Display: True RMS, 6000 counts, 3 5/6 digits Overload Display: Display OL DC Voltage:600mV/6V/60V/600V(0.5%+3), 1000V (0.5%+3) AC Voltage:600mV/6V/60V/600V/750V (0.8%+5) DC Current:600A/6000A/60mA/600mA/10A (1.2%+3) AC Current:600A/6000A/60mA/600mA/10A (1.5%+3) Resistance:600/6K/60K/600K/(1.0%+3), 6M/60M (1.5%+3) Capacitance: 10nf/100nf/1000nf/10uf/100uf/1000uf (4.0%+5), 10MF/100MF(5.0%+5) Frequency/Duty:10Hz/100Hz/1000Hz/10kHz/ 100kHz/ 1000kHz (1.0%+3),10MHz/(3.0%+3) Package Content: (a.) 1 x Digital Multimeter, (b.) 1 x Test Leads, (c.) 2 x 1.5V (AA or AAA) Battery, (d.) 1 x User manual in english, operating procedures, safety precautions when using the equipment, basic troubleshooting and maintenance procedures, (e.) 1 x Temperature Probe (Thermocouple) With Safety Level/Certification: IEC, CE or equivalent With carton box
Patch panel (48 ports)	Computer System Servicing (NC II)	1. Network Patch Panel 2. 48 port Patch Panel 3. CAT6 Cable 4. Material: ABS Plastic 5. Application: UTP(Unshielded) 6. Certification: RoHS, ISO, CE 7. RJ45 Connector : two rows (1-24 ports & 25-48 ports) 8. Transport package: 1PCS/Box 9. Smooth surface and no sharp edges

Item Name	TVL Specialization	Technical Specifications
PC Video camera	Computer System Servicing (NC II)	1) 5.0 Mega Pixel Web Camera, USB-type; 2) With Microphone for Laptop and Desktop PC use; 3) Resolution: at least 640 x 480; 4) Support Windows XP/7/8/equivalent Mac OS or later versions; 5) With User's Manual in English which includes: a) a diagram of the parts with their names, b) operating procedures c) basic troubleshooting and maintenance procedures. 6) Hard plastic or metal casing 7) Smooth surface and no sharp edges 8) Carton or plastic packaging
Phillip's screwdriver, 8" insulated	Computer System Servicing (NC II)	1. Shank Material: chrome vanadium steel, HRC 38 to 60; 2. Handle Material: Molded Plastic 3. Overall length: 8 inches (minimum) 4. Insulation protection (including shank): 1000VAC/ 1500VDC, VDE Certified (or its equivalent) 5. Non slip handle design 6. Carton or plastic packaging
Precision Screwdriver Set	Computer System Servicing (NC II)	1. Material: Hardened and tempered steel; 2. 1 set comes with the following: a) 3 x Phillips tip No. 00, 0, and 1 ; b) 6 x Standard tip No. 1, 1.2, 1.4, 1.8, 2.4, and 3.0; c) 1 x Awl; d) 1 x Magnet; e) plastic storage case; 3. Non slip design handle

Item Name	TVL Specialization	Technical Specifications
Soldering Iron, 60W	Computer System Servicing (NC II)	1. Type: Iron rod 2. Voltage: 220/240VAC, 60Hz, Single phase; 3. Power: 60W (minimum); 4. Body Length: 8.3 inches (21 cm) approximate 5. Cord Length: 1.5 meters (minimum) 6. Handle: Plastic; (non slip handle) 7. With user's manual written in English that contains user's guide, operating procedure, parts with description, safety procedure, and maintenance; 8. Interchangeable copper tip;
Standard screwdriver (Flat), 8" insulated	Computer System Servicing (NC II)	1. Shank Material: chrome vanadium steel, HRC 38 to 60; 2. Handle Material: Molded Plastic 3. Overall length: 8 inches (minimum) 4. Insulation protection (including shank): 1000v, VDE Certified (or its equivalent) 5.Non slip handle design 6. Carton or plastic packaging

Item Name	TVL Specialization	Technical Specifications
, interruptible Power Supply (UPS)	Computer System Servicing (NC II)	The item shall have the following specifications: 1. Type: Battery (included): Lithium ion battery or Maintenance-free sealed Lead-Acid battery with suspended electrolyte: leakproof 2. Voltage: Nominal Input Voltage: 230V, 50/60 Hz 3. Output Power Capacity: 600VA (minimum) 4. Output Connections :2 Universal Receptacle (minimum) 5. Cord Length: 1 meter (minimum) 6. Maximum Input Current: 5A 7. Protection: Overload, Short Circuit, Over Discharge & Over Charge 8. Transfer Time: 10ms maximum 9. Size (Approx.): (H) 223mm x (W) 143mm x (D) 347mm 10. Metal and/or hard plastic casing 11. Smooth surface and no sharp edges 12. Carton box packaging 13. With User's Manual in English which includes: a. a diagram of the parts with their names, b. operating procedures / wire connections c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures.
USB External HD	Computer System Servicing (NC II)	1) 1TB Portable/External Hard Drive 2) Application: Laptop / Desktop PC 3) Interface Type: SATAII 4) Installation: Mobile 5) Formatted Capacity: 1000GB(Windows Display about 298GB) 6) Size(mm): 14.29 x 80.01 x 17.60 (Approx.) 7) Metal Casing 8) Comes with USB 3.0 cable (18 inch minimum) 9) User's manual (English) on name of parts, user's guide, wiring connection, safety precautions and maintenance 10) Smooth surface and no sharp edges 11) Carton box or plastic pouch packaging

Item Name	TVL Specialization	Technical Specifications
Wire stripper	Computer System Servicing (NC II)	Type: Spring-loaded self-opening; Body shape: Long jaw with slot Blade material: Hardened alloy steel (sharp edges to strip and cut the wires) Wires to be stripped: 10 AWG to 24 AWG Length: 7 inches (minimum) Comes with automatic self- adjusting spring, crimping slot, and hard plastic handle
Wireless Access Point	Computer System Servicing (NC II)	Type: Wireless access point Dual band WiFi Band / DataTransfer Rate: 867 Mbps at 5 GHz and 300 Mbps at 2.4 GHz band Operating Modes: Access Point (AP), Bridge, Wireless Client, Repeater Interface: One 10/100M Ethernet Port(RJ45), Support Passive PoE Power On/Off Button and Reset Button Comes with External Power Supply: 5VDC-12VDC / 0.5A-1.0A Dimensions (L x W x D): (76-191 x47-125 x30-68mm) Comes with at least 2 Antenna (External detachable) Operating Temperature: 0°C~40°C Storage Temperature: -40°C~60°C Operating Humidity: 10%~90% non-condensing Storage Humidity: 10%~85% non-condensing System Requirements: Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 10, MAC OS, NetWare, UNIX or Linux. Wireless Security (any): 64/128/152-bit WEP / WPA / WPA2,WPA-PSK / WPA2-PSK Protocols: Supports IPv4 and/or IPv6 Plastic or metal casing With User's Manual in English which includes: a. operating procedures, b. safety precautions when using the equipment, c. basic troubleshooting and maintenance procedures. Carton box packaging